


VEHICLE INSPECTION CENTER VTEQ 3000

VTEQ

- Digital Console
- PC based control for data processing
- Modules system
- Totally automatic operating
- Quick and exact results display
- Infrared remote control
- Monitor head with swivel support
- DIN A4 colour printer
- Soft starters kit for brake tester motor
- Automatic weighing device
- 4 x 4 WD
- Cars Brake tester
- EUSAMA Suspension tester
- Side slip tester



VEHICLE INSPECTION CENTER VTEQ 3000



TECHNICAL DATA

BRAK 3000 (Cover plates included)

Cars Brake tester

Size (mm.)	2.320x680x280
Track width	780 ÷ 2.200 mm
Max. axle load	3.500 Kg
Rollers Size	723 x 206 mm
Roller axle separation	400 mm
Test speed	5,4 Km/h
Motor power	2 x 4,6 kW
Friction coefficient	Dry > 0,8 Humid > 0,6
Measurement range	0 ÷ 6 kN
Power supply	3 x 230 / 3 x 400V 50 / 60 Hz
Console Power supply	230Vac Monophase

EUSA 3000



Eusama Suspension tester

Size (mm.)	2.320x800x280
Track width	800 ÷ 2.200 mm
Excitement stroke	6 mm
Excitement frequency	25 Hz
Wheel load	Max. 1.000 Kg
Motor power	2 x 3 kW
Max. Axle Weight	2.000 Kg
Power supply	3 x 230 / 3 x 400V 50 / 60 Hz

SLIP 3000

Cars Side Slip tester

Size (mm.)	1.020x460x80
Measuring plate	1.000 x 400 mm
Accuracy	± 0,1 m/Km
Measurement range	± 20 m/Km
Max. Axle weight	3.500 Kg




VEHICLE INSPECTION CENTER VTEQ 3000



OPTIONS

VTEQ 3000 Vehicle Inspection Center	
VTEQ 3000-03	Korundum Rollers Surface
VTEQ 3000-05	Multichannel Remote Control (Pedal force connection)
VTEQ 3000-10	Pedal force dynamometer (necessary VTEQ 3000-05)
VTEQ 3000-20	Calibration Tool + 30 Kg. Weight Till 6 KN
VTEQ 3000-32	Wall Bracket
VTEQ 3000-40	Motors with Brake
VTEQ 3000-54	Motorbikes Test Cover
VTEQ 3000-98	Service Dongle
VTEQ 3000-99	Network Dongle

ROLLERS FINISHING



Welded



Korundum

